

# **FORMA 1200 ISLAND**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

#### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



## Forma 1200 Island

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	68.9 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### **CONTROL OPTIONS**




### OPTIONAL DECORATIVE TRAY

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.



O-TL certified Manufactured to UL standards





# **FORMA 1200 LEFT CORNER**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### REMOTE CONTROL

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



## Forma 1200 Left Corner

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	73.7 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**




### OPTIONAL DECORATIVE TRAY

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.



O-TL certified Manufactured to UL standards





# **FORMA 1200 RIGHT CORNER**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.

All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. This document does not expand or otherwise modify Planika Sp. z o.o."s terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. (sr terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. (sr terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. (sr terms and conditions of purchase, including but not limited to the warranty expressed therein. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or in any other disclosure relations or the property rights in the property right in the property right is supported by this document or in any other disclosure relations or the property right in any other disclosure relations or the property right in any other relations or



# Forma 1200 Right Corner

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	73.7 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**




Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.

**OPTIONAL DECORATIVE TRAY** 



O-TL certified Manufactured to UL standards





# **FORMA 1200 ROOM DIVIDER**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### REMOTE CONTROL

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



## Forma 1200 Room Divider

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	70.9 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### **CONTROL OPTIONS**




### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.



O-TL certified Manufactured to UL standards





# **FORMA 1200 SINGLE-SIDED**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology® is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.



REMOTE CONTROL

The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



# Forma 1200 Single-Sided

Burner modelPrime Fire 990 (BEV Technology®)Fuel tank capacity5.5 LMaximum burn time8 hoursMaximum heat output7.0 kWMinimum room cubature70 m³Flame height regulation2 stagesWeight76.1 kgFuel typebioethanol 95 - 96,6%Fluenot requiredAir change rate1 space volume per hourPower supply230 VFinishblack powder coatingMaterialssteel, galvanized steel, toughened glassApplicationfor indoor use only		
Maximum burn time8 hoursMaximum heat output7.0 kWMinimum room cubature70 m³Flame height regulation2 stagesWeight76.1 kgFuel typebioethanol 95 - 96,6%Fluenot requiredAir change rate1 space volume per hourPower supply230 VFinishblack powder coatingMaterialssteel, galvanized steel, toughened glass	Burner model	Prime Fire 990 (BEV Technology®)
Maximum heat output7.0 kWMinimum room cubature70 m³Flame height regulation2 stagesWeight76.1 kgFuel typebioethanol 95 - 96,6%Fluenot requiredAir change rate1 space volume per hourPower supply230 VFinishblack powder coatingMaterialssteel, galvanized steel, toughened glass	Fuel tank capacity	5.5 L
Minimum room cubature 70 m³  Flame height regulation 2 stages  Weight 76.1 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Maximum burn time	8 hours
Flame height regulation  2 stages  Weight  76.1 kg  Fuel type  bioethanol 95 - 96,6%  Flue  not required  Air change rate  1 space volume per hour  Power supply  230 V  Finish  black powder coating  Materials  steel, galvanized steel, toughened glass	Maximum heat output	7.0 kW
Weight 76.1 kg  Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Minimum room cubature	70 m <sup>3</sup>
Fuel type bioethanol 95 - 96,6%  Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Flame height regulation	2 stages
Flue not required  Air change rate 1 space volume per hour  Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Weight	76.1 kg
Air change rate  1 space volume per hour  Power supply  230 V  Finish  black powder coating  Materials  steel, galvanized steel, toughened glass	Fuel type	bioethanol 95 - 96,6%
Power supply 230 V  Finish black powder coating  Materials steel, galvanized steel, toughened glass	Flue	not required
Finish black powder coating  Materials steel, galvanized steel, toughened glass	Air change rate	1 space volume per hour
Materials steel, galvanized steel, toughened glass	Power supply	230 V
	Finish	black powder coating
Application for indoor use only	Materials	steel, galvanized steel, toughened glass
	Application	for indoor use only

#### **CONTROL OPTIONS**




Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.

**OPTIONAL DECORATIVE TRAY** 



O-TL certified Manufactured to UL standards





# **FORMA 1200 THREE-SIDED**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### AUTOMATIC REFILLING SYSTEM

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### REMOTE CONTROL

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



## Forma 1200 Three-Sided

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	71.3 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

#### **CONTROL OPTIONS**




### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.



O-TL certified Manufactured to UL standards





# **FORMA 1200 TUNNEL**

### WITH PRIME FIRE 990 AUTOMATIC BEV® BURNER

## Net Zero fireplace with the BEV Technology®

### **AUTOMATIC BEV® BURNER**

The automatic burner with the patented BEV Technology<sup>®</sup> is the most advanced product in the industry ensuring the cleanest burning process without any smoke, smell or ash. The flame is produced by combusting ethanol vapours and has no direct contact with the liquid fuel.

### FLAME CONTROL

Have control over the fire. Choose ECO mode for smaller, ambient flame or increase the height to experience the full beauty of fire.

### PROTECTIVE DEFLECTOR

With the attached deflector you can cover the fireplace housing with combustible materials.

### TRUE ZERO CLEARANCE

The feature that allows you install the fireplace in a housing construction made of combustible materials.



### **AUTOMATIC REFILLING SYSTEM**

The automatic pump communicates with the device, delivering the necessary amount of fuel. There is no risk of overfilling the tank or spilling the fuel.

### **REMOTE CONTROL**

Take full control over the fireplace with the intuitive and minimalistic remote in your hand.

### INTEGRATED CONTROL PANEL

The burner has an intuitive control panel and inlet for automatic refuelling.



The product passed extensive tests carried out by the leading certification institutes. It is manufactured according to UL standards and is O-TL certified, meeting the most demanding safety and quality requirements.



## Forma 1200 Tunnel

Burner model	Prime Fire 990 (BEV Technology®)
Fuel tank capacity	5.5 L
Maximum burn time	8 hours
Maximum heat output	7.0 kW
Minimum room cubature	70 m <sup>3</sup>
Flame height regulation	2 stages
Weight	73.4 kg
Fuel type	bioethanol 95 - 96,6%
Flue	not required
Air change rate	1 space volume per hour
Power supply	230 V
Finish	black powder coating
Materials	steel, galvanized steel, toughened glass
Application	for indoor use only

### **CONTROL OPTIONS**



### **OPTIONAL DECORATIVE TRAY**

Decorative tray with 2 ceramic logs or white stones installed on the burner, behind the fireline.



O-TL certified Manufactured to UL standards

